



(12)

EUROPEAN PATENT APPLICATION

published in accordance with Art. 158(3) EPC

(43) Date of publication:

24.10.2001 Bulletin 2001/43

(51) Int Cl.⁷: **A61K 7/025, A61K 7/00**(21) Application number: **00978047.9**

(86) International application number:

PCT/JP00/08496(22) Date of filing: **01.12.2000**

(87) International publication number:

WO 01/39733 (07.06.2001 Gazette 2001/23)

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**(30) Priority: **02.12.1999 JP 34396299**(71) Applicant: **SHISEIDO COMPANY LIMITED****Tokyo 104-8010 (JP)**

(72) Inventors:

- **MINAMI, Takashi,**
Shiseido Res. Ctr (Shin-Yokohama)
Yokohama-shi, Kanagawa 224-8558 (JP)
- **HOSOKAWA, Kinya,**
Shiseido Res. Ctr (Shin-Yokohama)
Yokohama-shi, Kanagawa 224-8558 (JP)
- **SUZUKI, Sumire,**
Shiseido Res. Ctr (Shin-Yokohama)
Yokohama-shi, Kanagawa 224-8558 (JP)

- **MIYAZAKI, T.,**
Shiseido Res. Ctr (Shin-Yokohama)
Yokohama-shi, Kanagawa 224-8558 (JP)
- **SOYAMA, Y.,**
Shiseido Res. Ctr (Shin-Yokohama)
Yokohama-shi, Kanagawa 224-8558 (JP)
- **YOSHIDA, K.,**
Shiseido Res. Ctr (Shin-Yokohama)
Yokohama-shi, Kanagawa 224-8558 (JP)
- **NANBA, Tomiyuki,**
Shiseido Res Ctr (Shin-Yokohama)
Yokohama-shi, Kanagawa 224-8558 (JP)

(74) Representative: **Merkle, Gebhard**
TER MEER STEINMEISTER & PARTNER GbR,
Patentanwälte,
Mauerkircherstrasse 45
81679 München (DE)

(54) COMPOSITION FOR LIPSTICK

(57) The present invention provides a lipstick composition which drastically improves the color development and also is superior in terms of spreadability, gloss, and long-lastingness.

The present invention also provides a lipstick composition with superior a shape-retaining ability without

using ceresin for the shape-retaining agent. The present invention is a lipstick composition comprising (a) 3-25 mass % of one, two or more types of polyethylene wax (average molecular weight 300-700) and (b) 0.1-50 mass % of one, two or more types of liquid oil having one -OH group in the structure.

Description

TECHNICAL FIELD

[0001] The present invention relates to a lipstick composition. More particularly, the present invention relates to a lipstick composition with superior spreadability, gloss, and long-lastingness. In addition, the present invention relates to a lipstick composition with a superior shape-retaining ability.

BACKGROUND ART

[0002] A lipstick is applied to the lips to put a color and gloss to the lips to draw charm; it is recognized as one of the makeup cosmetics with the highest cosmetic effect. "Color development" is one of the functions desired from a lipstick. Generally, wax, various liquid oils, powder which contains a colorant, and perfume are blended into a lipstick composition used for a lipstick; the combination helps maintain the spreadability, gloss, color development, long-lastingness, etc. which constitute the basic usability of a lipstick in relation to the aforementioned functions related to the quality.

[0003] The object of the present invention is to provide a lipstick composition which drastically improves the color development related to the basic usability of a lipstick and also is superior in terms of spreadability, gloss, and long-lastingness.

[0004] Also, the object of the present invention is to provide a lipstick composition with a superior shape-retaining ability, essentially without using ceresin which conventionally is used as a shape-retaining agent.

DISCLOSURE OF INVENTION

[0005] The inventors conducted earnest research to solve the aforementioned problem and discovered that a lipstick composition which drastically improves the color development and also is superior in terms of spreadability, gloss, and long-lastingness can be obtained by using polyethylene with a specific molecular weight for the wax ingredient and combining this with a specific liquid oil ingredient in a specific quantity ratio, thus completing the present invention.

[0006] In other words the present invention relates to a lipstick composition comprising (a) 3-25 mass % of one, two or more types of polyethylene wax (average molecular weight 300-700) and (b) 0.1-50 mass % of one, two or more types of liquid oil having one -OH group in the structure.

[0007] In the present invention, a lipstick composition refers to a broad range of compositions used for a lipstick which is a makeup cosmetic; it can take any form such as a stick, pencil, ointment, or liquid. The present invention can be applied to a lip cream which does not particularly contain a colorant for the sake of an improvement in usability in terms of spreadability and gloss.

BEST MODE FOR CARRYING OUT THE INVENTION

[0008] The present invention is described in detail below.

[0009] In the present invention, ingredient (a) is polyethylene wax with an average molecular weight of 300-700, preferably 500-700. Polyethylene wax is conventionally known as a solidifier, shape-retaining agent, etc. for oil-based cosmetics. In the present invention, if the average molecular weight of the polyethylene wax is less than 300 then the solidifying ability is reduced, which is not preferable; on the other hand, if it is more than 700 then the melting point becomes high and dissolution in the liquid oil ingredient becomes harder, which is not preferable either.

[0010] For ingredient (a), one, two or more types can be used. The blend ratio of ingredient (a) is 3-25 mass %, preferably 5-20 mass %, of the total amount of the composition. If the blend ratio is less than 3 mass % then the dispersibility of the pigment does not improve enough; on the other hand, if it is more than 25 mass % then spreadability at the time of application becomes poor, which is not preferable.

[0011] For ingredient (b) of the present invention, a liquid oil ingredient having one -OH group in its structure is used. Here, "a liquid oil ingredient" refers to an oil ingredient which is in a liquid form at ordinary temperatures. Specific examples of ingredient (b) include ester oils such as glyceryl diisostearate, diglyceryl trisostearate, and diisostearyl malate; of these, glyceryl diisostearate, diglyceryl trisostearate, and isostearyl oxystearate are preferable. For ingredient (b), one, two or more types can be used.

[0012] The blend ratio of ingredient (b) is 0.1-50 mass %, preferably 0.1-45 mass %, of the total amount of the composition. If the blend ratio is less than 0.1 mass % then the color development does not improve sufficiently; on the other hand, if it is more than 50 mass %, then spreadability at the time of application becomes poor, which is not preferable.

[0013] By combining ingredient (a) and ingredient (b) as described above, a lipstick composition with markedly improved color development of lips as well as superior spreadability, gloss, and long-lastingness can be obtained.

[0014] In addition to the aforementioned essential ingredients, any other ingredients which are commonly blended in a lipstick composition can be blended in; examples include shape-retaining agent, oil ingredients, and powder.

[0015] For the shape-retaining agent, wax such as carnauba wax, paraffin wax, and microcrystalline wax can be used in addition to polyethylene wax as the aforementioned ingredient (a); any one, two, or more can be selected from these. The total blend ratio in the composition of the present invention is preferably 3-25 mass %.

[0016] It is particularly preferable in terms of shape-retaining ability to blend the polyethylene wax of (a) and microcrystalline wax (c) in the ratio of 6:4-9:1. The blend ratio of the microcrystalline wax is normally 0.1-10 mass % in the composition.

[0017] For the oil ingredient, in addition to liquid oil that is the aforementioned ingredient (b), the following, for example, can be blended in: hydrocarbon oils such as squalane, liquid petrolatum, and petrolatum; higher fatty acids such as myristic acid, palmitic acid, stearic acid, 12-hydroxystearic acid, and behenic acid; higher alcohols such as cetyl alcohol, stearyl alcohol, oleyl alcohol, and batyl alcohol; esters such as cetyl-2-ethyl hexanoate, 2-ethylhexyl palmitate, 2-octyl dodecyl myristate, neopentyl glycol-2-ethyl hexanoate, glyceride trioctanoate, pentaerythritol tri-octanoate, isopropyl myristate, myristyl myristate, and glyceride trioleate; fats and oils such as olive oil, avocado oil, jojoba oil, sunflower oil, safflower oil, tsubaki oil, shea butter, macademia nut oil, mink oil, lanolin, liquid lanolin, acetic acid lanolin, and castor oil; silicone oils such as dimethylpolysiloxane, methylphenyl poly siloxane, gum-like dimethylpolysiloxane with a high degree of polymerization, polyether degeneration silicone, amino-modified silicone, and gum-like amino-modified silicone with a high degree of polymerization; and fluorine oils such as perfluoro polyether and perfluoro carbon. In the present invention, the blend ratio of the oil is 50 mass % or more, preferably 70 mass % or more, of the total amount of the composition.

[0018] Examples of the powder include inorganic powders such as talc, kaolin, sericite, muscovite, phlogopite, synthetic mica, aluminum silicate, silica, barium sulfate, and calcium phosphate and organic powders such as nylon powder and cellulose powder, as well as various pigments. The blend ratio of powder is preferably 1-30 mass %, more preferably 0.1-15 mass % of the total amount of the composition.

[0019] In addition, antioxidants, ultraviolet absorbents, ultraviolet masking agents, preservatives, humectants, dyes, etc. can be blended in.

EXAMPLES

[0020] The present invention is described in detail below based on Examples; however, the present invention is not limited to these Examples. The blend ratio is shown as a mass % value of the total amount of the composition unless specified otherwise.

[0021] In Examples, the lipstick composition was evaluated with the following criteria for color development, spreadability, gloss, and long-lastingness.

[Color development]

[0022] Each member of a panel of 15 specialists conducted the following five step evaluation, based on which the color development was evaluated.

(Rating)

[0023]

- 1: Color development is poor.
- 2: Color development is somewhat poor.
- 3: Color development is normal.
- 4: Color development is somewhat good.
- 5: Color development is good.

(Evaluation of the color development)

[0024]

- ⊙: The average rating is 4.5 or more and 5.0 or less.
- : The average rating is 3.5 or more and less than 4.5.
- △: The average rating is 2.5 or more and less than 3.5.
- ×: The average rating is 1.5 or more and less than 2.5.

× × : The average rating is 1.0 or more and less than 1.5.

[Spreadability]

5 [0025] Each member of a panel of 15 specialists conducted the following five step evaluation, based on which the spreadability was evaluated.

(Rating)

10 [0026]

- 1: Spreadability is poor.
- 2: Spreadability is somewhat poor.
- 3: Spreadability is normal.
- 15 4: Spreadability is somewhat good.
- 5: Spreadability is good.

(Evaluation of the spreadability)

20 [0027]

- ⊙: The average rating is 4.5 or more and 5.0 or less.
- : The average rating is 3.5 or more and less than 4.5.
- Δ: The average rating is 2.5 or more and less than 3.5.
- 25 ×: The average rating is 1.5 or more and less than 2.5.
- × ×: The average rating is 1.0 or more and less than 1.5.

[Gloss]

30 [0028] Each member of a panel of 15 specialistss conducted the following five step evaluation, based on which the gloss was evaluated.

(Rating)

35 [0029]

- 1: Gloss is poor.
- 2: Gloss is somewhat poor.
- 3: Gloss is normal.
- 40 4: Gloss is somewhat good.
- 5: Gloss is good.

(Evaluation of the gloss)

45 [0030]

- ⊙: The average rating is 4.5 or more and 5.0 or less.
- : The average rating is 3.5 or more and less than 4.5.
- Δ: The average rating is 2.5 or more and less than 3. 5.
- 50 ×: The average rating is 1.5 or more and less than 2.5.
- × ×: The average rating is 1.0 or more and less than 1.5.

[Long-lastingness]

55 [0031] Each member of a panel of 15 specialistss conducted the following five step evaluation, based on which the long-lastingness was evaluated.

(Rating)

[0032]

- 5 1: Long-lastingness is poor.
 2: Long-lastingness is somewhat poor.
 3: Long-lastingness is normal.
 4: Long-lastingness is somewhat good.
 5: Long-lastingness is good.

10

(Evaluation of the long-lastingness)

[0033]

- 15 ⊙: The average rating is 4.5 or more and 5.0 or less.
 ○: The average rating is 3.5 or more and less than 4.5.
 Δ: The average rating is 2.5 or more and less than 3.5.
 ×: The average rating is 1.5 or more and less than 2.5.
 × ×: The average rating is 1.0 or more and less than 1.5.

20

[The shape-retaining ability]

[0034] The shape-retaining ability was evaluated based on the defect ratio (shrinkage pin-holes and surface peeling) after filling and molding.

25

(Evaluation of the shape-retaining ability)

[0035]

- 30 ⊙: Defect ratio 0% or more and less than 1%
 ○: Defect ratio 1% or more and less than 5%
 Δ: Defect ratio 5% or more and less than 10%
 ×: Defect ratio 10% or more

35

(Examples 1-6, Comparative examples 1-7: stick-shaped lipstick compositions)

[0036] Lipstick compositions with composition blend ratios as shown in the following Table 1 were prepared, and color development, spreadability, gloss, and long-lastingness were evaluated for Examples and Comparative examples according to the aforementioned evaluation criteria. The results are shown in Table 1.

40

45

50

55

Table 1

	Comparative example		Example			Comparative example			Example			Comparative example	
	1	2	1	2	3	3	4	5	4	5	6	6	7
Ceresin	15						15						
Polyethylene wax (average molecular weight 250)		15						15					
Polyethylene wax (average molecular weight 300)			15						15				
Polyethylene wax (average molecular weight 500)				15						15			15
Polyethylene wax (average molecular weight 700)					15						15		
Polyethylene wax (average molecular weight 800)						15						15	
Glyceryl diisostearate	20	20	20	20	20	20							
Diglyceryl triisostearate							20	20	20	20	20	20	
Lanolin	10	10	10	10	10	10	10	10	10	10	10	10	10
Glyceryl tri-2-ethylhexanoate	49	49	49	49	49	49	49	49	49	49	49	49	69
Iron oxide red	4	4	4	4	4	4	4	4	4	4	4	4	4
Red 202	2	2	2	2	2	2	2	2	2	2	2	2	2
Coloring	Δ	○	⊗	⊗	⊗	Δ	Δ	○	⊗	⊗	⊗	Δ	Δ
Spreadability	○	Δ •1	○	○	○	×	○	Δ •1	○	○	○	×	○
Gloss	Δ	⊗	⊗	○	○	Δ	Δ	⊗	⊗	○	○	Δ	Δ
Long-lastingness	○	×	○	○	⊗	⊗	○	×	⊗	○	⊗	⊗	○
Shape-retaining ability	○	Δ	○	○	○	Δ	○	Δ	○	○	○	×	○

[0037] In Table 1, evaluation of "spreadability" in Comparative example 2 and Comparative example 5 (Δ*1) indicate that excessive softness resulted in poor spreadability.

(Examples 7-13 and Comparative examples 8-14: stick-shaped lipstick compositions)

[0038] Lipstick compositions with composition blend ratios as shown in the following Table 2 were prepared, and color development, spreadability, gloss, and long-lastingness were evaluated for Examples and Comparative examples according to the aforementioned evaluation criteria. The results are shown in Table 2.

Table 2

	Comparative example	Example		Comparative example	Example		Comparative example					Example		
	8	7	8	9	9	10	10	11	12	13	14	11	12	13
Polyethylene wax (average molecular weight 500)	1	15	25	30	15	15	15	15	15	15	15	9	12	14
Ceresin	14													
Microcrystalline wax												6	4	2
Glyceryl diisostearate	30	30	30	30	0.1	50	60					30	30	30
Olive oil								30						
Liquid petrolatum									30					
Lanolin										30				
Glyceryl tri-2- ethylhexanoate	49	49	39	34	78.9	29	19	49	49	49	79	49	49	49
Red iron oxide	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Red 202	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Coloring	Δ	⊙	⊙	⊙	○	⊙	○	Δ	×	Δ	Δ	⊙	⊙	⊙
Spreadability	○	○	○	×	○	○	Δ	○	○	Δ	⊙	⊙	⊙	⊙
Gloss	○	⊙	Δ	×	⊙	⊙	⊙	○	○	○	Δ	⊙	⊙	⊙
Long- lastingness	○	○	⊙	⊙	○	○	○	○	○	○	Δ	⊙	⊙	⊙
Shape- retaining ability	⊙	○	○	×	○	○	○	○	○	○	○	⊙	⊙	⊙

(Preparation method)

[0039] For Examples and Comparative examples shown in Table 1 and Table 2, the ingredients were dissolved at 90-100°C and dispersed with a disper. Following deaeration, the mixture was poured into a lipstick container and cooled to obtain a stick-shaped lipstick composition.

(Evaluation)

[0040] As clearly indicated in Table 1 and Table 2, compositions which contained only ingredient (b) and did not contain ingredient (a) did not show improved usability. Compositions which only contained ingredient (a) did not show improved usability either. The effect of the present invention was obtained when polyethylene wax with a molecular weight of 300-700 was used.

[0041] When both ingredient (a) and ingredient (b) were combined, a synergistic improvement in the color development was observed without sacrificing spreadability, gloss, and long-lastingness when the blend ratio of ingredient (a) was 3-25 mass % and the blend ratio of ingredient (b) was 0.1-50 mass %. When ingredient (a) exceeded 25 mass % spreadability became heavy, and gloss and long-lastingness tended to become inferior, too. When olive oil, liquid petrolatum, lanolin, or glyceryl tri-2-ethylhexanoate was used instead of ingredient (b) for the liquid oil, the effect of the present invention was not observed.

[0042] Compositions of Examples had an adequate shape-retaining ability even if they did not use ceresin.

(Example 14) Stick-shaped lipstick

[0043]

(Ingredients)	(wt%)
Microcrystalline wax	3
Polyethylene wax (average molecular weight 500)	15.0
Glyceryl trioctanoate	22
Heavy liquid petrolatum	10
Cholesteryl macadamia nut oil fatty acid	10
Glyceryl tri (hydrogenated rosin/isostearate)	10
Glyceryl diisostearate	10
Isostearyl oxystearate	10
Pigment	10
Antioxidant	Appropriate amount
Ultraviolet absorbent	Appropriate amount
Perfume	Appropriate amount

(Preparation method)

[0044] Lipsticks were prepared with a conventional method. They are superior in color development, spreadability, gloss, and long-lastingness, and have enough shape-retaining ability.

(Example 15: Paste-like lipstick composition)

[0045]

(Ingredients)	(mass %)
(1) Petrolatum	8
(2) Polyethylene wax (average molecular weight 500)	2
(3) Squalane	10
(4) Castor oil	3
(5) Diglyceryl triisostearate	5
(6) Glyceryl triisostearate	2
(7) Silicone resin (molecular weight is about 5000. $(\text{CH}_3)_3\text{SiO}_{1/2} : \text{SiO}_2$ unit = 0.8 : 1, with a mean formula of $(\text{CH}_3)_{1.33}\text{SiO}_{1.34}$)	25
(8) Decamethyl cyclopenta siloxane	39.5
(9) Silica	2.5
(10) Pigment	3
(11) Perfume	Appropriate amount

(Preparation method)

[0046] Ingredients (1)-(11) were dissolved at 90-100°C and dispersed with a disperser.

[0047] Following deaeration, the mixture was poured into a lipstick container and cooled to obtain a paste-like lipstick composition.

(Example 16: Stick-shaped lipstick composition)

[0048]

(Ingredients)	(mass %)
(1) Polyethylene wax (average molecular weight 500)	8

(continued)

	(Ingredients)	(mass %)
(2)	Candelilla wax	3
(3)	Squalane	8
(4)	Diglyceryl triisostearate	10
(5)	Macademia nut oil fatty acid ester	2.5
(6)	Glyceryl tri-2-ethylhexanoate	4.5
(7)	Silicone resin (molecular weight is about 6000. $(\text{CH}_3)_3\text{SiO}_{1/2} : \text{SiO}_2$ unit= 0.8 : 1, with a mean formula of $(\text{CH}_3)_{1.33}\text{SiO}_{1.34}$)	20
(8)	Decamethyl cyclopenta siloxane	34
(9)	Fine particle barium sulfate	5
(10)	Pigment	5
(11)	Perfume	Appropriate amount

(Preparation method)

[0049] Ingredients (1)-(11) were dissolved at 90-100°C and dispersed with a disper. Following deaeration, the mixture was poured into a lipstick container and cooled to obtain a stick-shaped lipstick composition.

(Example 17: Emulsified stick-shaped lipstick composition)

[0050]

	(Ingredients)	(mass %)
(1)	Paraffin wax	5
(2)	Microcrystalline wax	4
(3)	Polyethylene wax (average molecular weight 500)	5
(4)	Diglyceryl triisostearate	3
(5)	Glyceryl diisostearate	4
(6)	Macademia nut oil	3
(7)	Polybutene	3
(8)	Diisostearyl malate	4
(9)	Silicone resin (molecular weight is about 8000. $(\text{CH}_3)_3\text{SiO}_{1/2} : \text{SiO}_2$ unit= 0.8 : 1, with a mean formula of $(\text{CH}_3)_{1.33}\text{SiO}_{1.34}$)	30
(10)	Decamethylcyclopentasiloxane	10.5
(11)	Octamethylcyclotetrasiloxane	7
(12)	Dimethylpolysiloxane (viscosity 6cs)	5
(13)	Silica	3
(14)	Synthesized sodium magnesium silicate	1
(15)	Polyoxyethylene/methyl poly siloxane copolymer	2
(16)	Ion-exchange water	5
(17)	Glycerin	1
(18)	Pigment	4.5
(19)	Perfume	Appropriate amount

(Preparation method)

[0051] Ingredients (1)-(15), (18) and (19) were dissolved at 90-100°C and dispersed with a disperser. (16) and (17) were added to this and dispersed further; and, after deaeration, the mixture was poured into a lipstick container and cooled to obtain an emulsified stick-shaped lipstick composition.

(Example 18: Stick-shaped lipstick composition)

[0052]

5	(Ingredients)		(mass %)
	(1)	Polyethylene wax (average molecular weight 500)	8
	(2)	Candelilla wax	3
	(3)	Squalane	8
10	(4)	Diglyceryl triisostearate	3
	(5)	Macademia nut oil fatty acid ester	2.5
	(6)	Glyceryl tri-2-ethylhexanoate	1.5
	(7)	Silicone resin (molecular weight is about 6000. $(CH_3)_3SiO_{1/2} : SiO_2$ unit = 0.8 : 1, with a mean formula of $(CH_3)_{1.33}SiO_{1.34}$)	20
15	(8)	Decamethyl cyclopenta siloxane	43.95
	(9)	Fine particle barium sulfate	5
	(10)	Pigment	5
	(11)	Camphor	0.05
20	(12)	Perfume	Appropriate amount

(Preparation method)

[0053] Ingredients (1)-(12) were dissolved at 90-100°C and dispersed with a disperser. Following deaeration, the mixture was poured into a lipstick container and cooled to obtain a stick-shaped lipstick composition.

(Example 19: Emulsified stick-shaped lipstick composition)

[0054]

30	(Ingredients)		(mass %)
	(1)	Polyethylene wax (average molecular weight 500)	10
	(2)	Microcrystalline wax	4
35	(3)	Glyceryl diisostearate	7
	(4)	Diglyceryl triisostearate	3
	(5)	Macademia nut oil	3
	(6)	Polybutene	3
	(7)	Diisostearyl malate	1
40	(8)	Silicone resin (molecular weight is about 8000. $(CH_3)_3SiO_{1/2} : SiO_2$ unit= 0.8 : 1, with a mean formula of $(CH_3)_{1.33}SiO_{1.34}$)	30
	(9)	Decamethylcyclopentasiloxane	10.46
	(10)	Octamethylcyclotetrasiloxane	7
45	(11)	Dimethylpolysiloxane (viscosity 6cs)	5
	(12)	Silica	3
	(13)	Synthesized sodium magnesium silicate	1
	(14)	Polyoxyethylene/methyl poly siloxane copolymer	2
	(15)	Ion-exchange water	5
50	(16)	Glycerin	1
	(17)	Pigment	4.5
	(18)	Pantothenyl ethyl ether	0.01
	(19)	Pyridoxine hydrochloride	0.02
	(20)	Royal jelly extract	0.01
55	(21)	Perfume	Appropriate amount

(Preparation method)

[0055] Ingredients (1)-(14) and (17)-(21) were dissolved at 90-100°C and dispersed with a disperser. (15) and (16) were added to this and dispersed further; and, after deaeration, the mixture was poured into a lipstick container and cooled to obtain an emulsified stick-shaped lipstick composition.

(Example 20: Stick-shaped lipstick composition)

[0056]

(Ingredients)		(mass %)
A. Lipstick base		
(1)	Carnauba wax	0.5
(2)	Candelilla wax	5
(3)	Polyethylene wax (average molecular weight 500)	10
(4)	Squalane	30
(5)	Glyceryl triisostearate	10
(6)	Glyceryl diisostearate	37.5
B. Water-containing composition		
(7)	Hydroxy-propylated β -cyclodextrin	1
(8)	Cholesterol ester (isostearic acid)	3.5
(9)	Glycerin	0.5
(10)	Purified water	2
C. Other bases		
(11)	Coloring material	Appropriate amount
(12)	Perfume	Appropriate amount
(13)	Preservatives	Appropriate amount

(Preparation method)

[0057] (7), melted in (10) (0.5 mass %), was added to (8) which was kept at 60°C, and stirring was conducted for 10 minutes with a disper. The rest of (10) (1.5 mass %) and (9) were added to this, followed by a 10-minute stirring, to obtain water-containing composition (B).

[0058] Lipstick base (A) was melted at 80°C, to which water-containing composition (B) was added, and, after a 10-minute stirring with a disper, (11)-(13) were added; after dispersing and stirring, the mixture was molded to obtain a stick-shaped lipstick composition.

(Example 21: Stick-shaped lipstick composition)

[0059]

(Ingredients)		(mass %)
(1)	Polyethylene wax (average molecular weight 500)	4
(2)	Candelilla wax	8
(3)	Glyceryl diisostearate	2
(4)	Organic silicone resin (molecular weight is about 20,000. $(\text{CH}_3)_3\text{SiO}_{1/2}$ unit : SiO_2 unit = 0.5 : 1, with a mean formula of $(\text{CH}_3)_{1.8}\text{SiO}_{1.1}$)	10
(5)	Decamethyl cyclopenta siloxane	54.95
(6)	Perfluoroalkyl modified methyphenyl polysiloxane	3
(7)	Methylphenylpolysiloxane (15 CS/25°C)	2
(8)	POE (25) POP (20) tetradecyl ether	1
(9)	Ion-exchange water	5

(continued)

(Ingredients)		(mass %)
(10)	Glycerin	2
(11)	Propylene glycol	1
(12)	Titanium dioxide	4.5
(13)	Red 201	0.5
(14)	Red 202	2
(15)	Red 223	0.05
(16)	Ultraviolet absorbent	Appropriate amount
(17)	Antioxidant	Appropriate amount
(18)	Perfume	Appropriate amount

(Preparation method)

[0060] (13)-(15) were thoroughly stirred and mixed, and then added to (1)-(8) and (16)-(18) which had been heated and dissolved, and the mixture was thoroughly mixed (oil phase). Separately, (9)-(11) were heated and dissolved (water phase). The water phase was added to the oil phase; after emulsification using a homogenizer, the mixture was poured into a mold and quickly cooled to obtain a stick-shaped lipstick composition.

(Example 22: Stick-shaped emulsified lip cream)

[0061]

(Ingredients)		(mass %)
A. Emulsified base		
(1)	Synthesized hectorite	3
(2)	Polyoxyethylene methyl poly siloxane copolymer	0.5
(3)	Methylphenyl poly siloxane	10
(4)	Purified water	1.5
(5)	Glycerin	0.2
(6)	L- arginine hydrochloride	0.5
B. Oil phase		
(7)	Microcrystalline wax	1
(8)	Polyethylene wax (average molecular weight 500)	14
(9)	Glyceryl tri-2-ethylhexanoate	40
(10)	Diisostearyl malate	19.3
(11)	Glyceryl diisostearate	10

(Preparation method)

[0062] First, an emulsified base was prepared with (1)-(6). That is, (1) and (2) were dispersed in (3) at ordinary temperatures (oil phase). (4)-(6) were mixed and dissolved (water phase), which was then added to and dispersed in said oil phase to obtain the emulsified base. Said emulsified base was then added to the oil phase which had been prepared by heating and dissolving (7)-(11), followed by thorough stirring and mixing; and the mixture was poured into a metal mold and allowed to cool to obtain a stick-shaped emulsified lip cream.

INDUSTRIAL APPLICABILITY

[0063] The present invention provides a lipstick composition which is superior in terms of usability (spreadability, gloss, and long-lastingness) and drastically improves the color development.

[0064] Also, a lipstick composition with a superior shape-retaining ability is provided without using ceresin for the shape-retaining agent.

Claims

1. A lipstick composition comprising (a) 3-25 mass % of one, two or more types of polyethylene wax (average molecular weight 300-700) and (b) 0.1-50 mass % of one, two or more types of liquid oil having one -OH group in the structure.
2. A lipstick composition as defined in claim 1 wherein ingredient (b) is one or more chosen from a group consisting of glyceryl diisostearate, diglyceryl triisostearate, and isostearyl oxystearate.
3. The lipstick composition as defined in claim 1 or 2 additionally containing (c) microcrystalline wax such that the mass ratio of the aforementioned (a) : (c) = 6 : 4-9 : 1.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/08496

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl. ⁷ A61K7/025, A61K7/00		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Int.Cl. ⁷ A61K7/025, A61K7/00		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) CA (STN)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	JP, 59-148713, A (Shiseido Company, Limited.), 25 August, 1984 (25.08.84), esp., Claims; page 2, lower left column, line 12 to lower right column, line 3; working example (Family: none)	1-3
Y	JP, 3-63206, A (Kobayashi Kosei Co., Ltd.), 19 March, 1991 (19.03.91), esp., Claims (Family: none)	1-3
Y	JP, 11-147809, A (Kao Corporation), 02 June, 1999 (02.06.99), esp., working examples 1-4 (Family: none)	1-3
Y	JP, 10-152412, A (Shiseido Company, Limited.), 09 June, 1998 (09.06.98), esp., working examples 7,8 (Family: none)	1-3
Y	JP, 10-72308, A (KOSE Corporation), 17 March, 1998 (17.03.98), esp., working example 3 (Family: none)	1-3
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed		"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family
Date of the actual completion of the international search 19 February, 2001 (19.02.01)		Date of mailing of the international search report 06 March, 2001 (06.03.01)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/08496

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	JP, 3-176411, A (Kobayashi Kosei Co., Ltd.), 31 July, 1991 (31.07.91), esp., working example 3 (Family: none)	1-3
Y	JP, 10-152414, A (Shiseido Company, Limited.), 09 June, 1998 (09.06.98), esp., working example 4 (Family: none)	1-3
Y	JP, 7-196437, A (KOSE Corporation), 01 August, 1996 (01.08.96), esp., working example 4 (Family: none)	1-3

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.